SAFETY DATA SHEET

Crushed Quartzdiorite (0-200 mm)

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 09.06.2021

Revision date 23.05.2024

1.1. Product identifier

Product name Crushed Quartzdiorite (0-200 mm)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group Crushed natural rock

1.3. Details of the supplier of the safety data sheet

Company name Mibau Stema Norge AS

Postal address Jelsavegen 512

Postcode 4234

City JELSA

Country Norge

 Fax
 +47 527 92 901

 Email
 post@mibau-stema.no

 Website
 www.mibau-stema.com

1.4. Emergency telephone number

Emergency telephone Telephone number: +47 22 59 13 00
Description: Norwegian Poison Information Center

+47 527 92 900

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP classification, comments Classification according to (EC) No.1272/2008: Not classified.

2.2. Label elements

Telephone number

Other label information (CLP) NOT CLASSIFIED according to health-, fire- and environmental hazard.	
--	--

2.3. Other hazards

PBT / vPvB	The chemical contains no PBT or vPvB substances.
Health effect	Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Repeated or prolonged inhalation of quartz dust may cause silicosis.
Other hazards	The chemical does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Cla	assification	Contents	Notes
Quartz	CAS No.: 14 EC No.: 238			30 - 40 vol%	
Description of the mixture	Plaç Epid	oclase ote covite	he following minerals:		
Substance comments	pro ^v The	For substances without REACH registration number, no information has been provided by the subcontractor or manufacturer. The content of a-quarts in respirable form is less than the limit being subject for classification.			

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Emergency telephone number: see section 1.4. In case of unconsciousness or severe accidents, call 113.
Inhalation	Fresh air and rest. Get medical attention if discomfort continues.
Skin contact	Remove contaminated clothing. Wash skin with soap and water. Get medical attention if any discomfort continues.
Eye contact	Promptly rinse eyes with plenty of water (tempered at 20-30°C) for at least 15 minutes. Remove contact lenses and open eyes wide apart. Remove particles remaining under the eyelids. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth with water. Do not induce vomiting. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects	Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.
Delayed symptoms and effects	Repeated or prolonged inhalation of quartz dust may cause silicosis.

4.3. Indication of any immediate medical attention and special treatment needed

Other information

Treat symptomatically. No specific information from the manufacturer.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Improper extinguishing media

Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	The chemical is not classified as flammable.
Hazardous combustion products	May include, but is not limited to: Metal oxides.

5.3. Advice for firefighters

Personal protective equipment	Use compressed air equipment when the chemical is involved in fire. In case of evacuation, an approved protection mask should be used. See also section 8.
Other information	Containers close to fire should be removed immediately or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures

Provide adequate ventilation. Use protective equipment as referred to in section 8. Use protective equipment as referred to in section 9. Avoid inhalation of dust

or aerosols and contact with skin and eyes.

6.2. Environmental precautions

Do not allow to enter into sewer, water system or soil.
Do not allow to enter into sewer, water system of soil.

6.3. Methods and material for containment and cleaning up

Clean up	Carefully sweep up and collect. Collect in suitable containers and deliver as
	waste according to section 13.

6.4. Reference to other sections

Other instructions See also sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	Provide adequate ventilation. Use personal protected equipment. See section 8.
	Avoid handling which leads to dust formation. Avoid breathing dust.

Protective safety measures

Advice on general occupational	Do not eat, drink or smoke during work. Wash contaminated clothing before
hygiene	reuse. Wash hands and face at the end of each work shift and before eating,

smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage Store in a well-ventilated place.

7.3. Specific end use(s)

Specific use(s) See section 1.2.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Substance Id	dentification	Exposure limits	TWA Year	
a-Quarts, Respirable dust CAS No.: 14808-60-7		Limit value (8 h) : 0,05 mg/ m³		
		Exposure limit letter		
		Letter code: K, G, 7		
a-kvarts, totalstøv		Limit value (8 h) : 0,3 mg/		
		m³		
		Exposure limit letter		
		Letter code: K		
Control parameters comments	Explanation of the nota	ations:		
	K = Capable of causing cancer and/or heritable genetic damage.			
	G = The EU has adopte	G = The EU has adopted a binding limit value and/or notice for the substance.		
	7) Dust containing α-Q	7) Dust containing α-Quartz, Cristobalite and/or Tridymite shall be assessed on		
	the basis of the summation equation. At the same time, the values for nuisance dust must be must be complied with. References (laws/regulations): Norwegian regulation on exposure limits: FOR-2011-12-06-1358 Forskrift om tiltaks- og grenseverdier (sist endret gjennom FOR-2024-04-05-581).			

8.2. Exposure controls

Precautionary measures to prevent exposure

Technical measures to prevent exposure Provide adequate ventilation. The personal protective equipment must CE-marked and the latest version of the standards shall be used. The p equipment and the specified standards recommended below are only suggestions, and should be selected on advice from the supplier of suc equipment. A risk assessment of the work place/work activities (the actual risk) mother control measures. The protection equipment's suitability and durated depend on application.
--

Eye / face protection

Eye protection equipment	Description: Wear dust resistant safety goggles where there is danger of eye contact.
	Reference to relevant standard: EN ISO 16321-1:2022 (Eye and face protection for occupational use - Part 1: General requirements).

Additional eye protection measures

Eye wash facilities should be available at the work place. Either a fixed eye wash facility connected to the drinking water (preferably warm water) or a portable disposable unit.

Hand protection

Suitable gloves type	Gloves are recommended for prolonged use.
Breakthrough time	Comments: No specific information from the manufacturer.
Thickness of glove material	Comments: No specific information from the manufacturer.
Hand protection equipment	Description: No special material is recommended, as the chemical will not penetrate plastic or rubber. Glove thickness must be chosen in consultation with the glove supplier, who can inform about the breakthrough time for the glove. The gloves abilities may vary among the different glove manufacturers. Reference to relevant standard: EN ISO 374 (Protective gloves against chemicals and micro-organisms). EN ISO 21420:2020 (Protective gloves - General requirements and test methods).
Additional hand protection measures	Change gloves frequently.

Skin protection

Recommended protective clothing	Description: Ordinary workwear.
Additional skin protection	Emergency shower should be available at the workplace.
measures	

Respiratory protection

Recommended respiratory protection	Description: In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter (type P3).
	Reference to relevant standard: EN 143 (Respiratory protective devices - Particle filters - Requirements, testing, marking).

Appropriate environmental exposure control

Environmental exposure controls Do not allow to enter into sewer, water system or soil.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Colour	Light grey to greenish-grey.
Odour	Not determined.
Odour limit	Comments: Not relevant.
pH	Comments: Not relevant.
Melting point / melting range	Comments: Not determined.
Boiling point / boiling range	Comments: Not relevant.
Flash point	Comments: Not relevant.

Flammability Not determined.

Explosion limit Comments: Not relevant.

Vapour pressure Comments: Not determined.

Vapour density Comments: Not determined.

Particle characteristics Value: 0 -200 mm

Relative density Comments: Not determined.

Solubility Medium: Water

Comments: Not soluble in water.

Partition coefficient: n-octanol/

water

Comments: Not determined.

Auto-ignition temperature Comments: Not relevant.

Decomposition temperature Comments: Not determined.

Viscosity Comments: Not relevant.

Explosive properties Not determined.

Oxidising properties Not determined.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Under normal use there is no known reactivity risk associated with this product.

10.2. Chemical stability

Stability The chemical is stable under normal conditions of storage and use.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

10.4. Conditions to avoid

Conditions to avoid None known.

10.5. Incompatible materials

Materials to avoid None in particular.

10.6. Hazardous decomposition products

Hazardous decomposition None under normal conditions. See also section 5.2. products

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Other information regarding health hazards

Assessment of acute toxicity, classification	Based on available data, the classification criteria are not met.
Assessment of skin corrosion / irritation, classification	Based on available data, the classification criteria are not met.
Assessment of eye damage or irritation, classification	Based on available data, the classification criteria are not met.
Assessment of respiratory sensitisation, classification	Based on available data, the classification criteria are not met.
Assessment of skin sensitisation, classification	Based on available data, the classification criteria are not met.
Assessment of germ cell mutagenicity, classification	Based on available data, the classification criteria are not met.
Assessment of carcinogenicity, classification	Based on available data, the classification criteria are not met.
Assessment of reproductive toxicity, classification	Based on available data, the classification criteria are not met.
Assessment of specific target organ toxicity - single exposure, classification	Based on available data, the classification criteria are not met.
Assessment of specific target organ toxicity - repeated exposure, classification	Based on available data the classification criteria are not met.
Assessment of aspiration hazard, classification	Based on available data, the classification criteria are not met.

Symptoms of exposure

In case of ingestion	None under normal use.
In case of skin contact	Dust may cause mechanical irritation of the skin.
In case of inhalation	Dust may cause mechanical irritation of mucous membranes. Symptoms may include coughing, sore throat, reddening, burning sensation and heavy watering of the eyes Repeated or prolonged inhalation of quartz dust may cause silicosis.
In case of eye contact	Dust may give mechanical eye irritation.

11.2 Other information

Endocrine disruption The chemical does not contain any known or suspected endocrine disruptors.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Not classified as dangerous to the environment.

12.2. Persistence and degradability

Persistence and degradability	There are no data available on the chemical itself.
description/evaluation	

12.3. Bioaccumulative potential

Bioaccumulation, comments No data available.

ivo data availa

12.4. Mobility in soil

Mobility Insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

The chemical contains no PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties

The chemical does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Additional ecological information

Do not allow to enter into sewer, water system or soil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical

Deliver to authorised waste vendor. The waste code (EWC-Code) is intended as a

guide. The user must select a code if the use differs from the one mentioned

below.

EWC waste code EWC waste code: 010308 dusty and powdery wastes other than those mentioned

in 01 03 07

Classified as hazardous waste: No

Other information Do not empty into drains.

SECTION 14: Transport information

Dangerous goods No

14.1. UN number

Comments Not considered as dangerous goods under UN, IMO, ADR/RID or IATA/ICAO

regulations.

14.2. UN proper shipping name

Comments Not relevant.

14.3. Transport hazard class(es)

Comments Not relevant.

14.4. Packing group

Comments Not relevant.

14.5. Environmental hazards

IMDG Marine pollutant No

14.6. Special precautions for user

Special safety precautions for user Not relevant.

14.7. Maritime transport in bulk according to IMO instruments

Ship type required Data lacking.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

References (laws/regulations)

Regulation (EC) No 1907/2006 on the registration, evaluation, authorization and restriction of chemicals (REACH Regulation), with later amendments.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP-regulation) with later amendments.

Norwegian regulation on dangerous goods: FOR 2009-04-01 nr 384: Forskrift om landtransport av farlig gods med senere endringer, Direktoratet for samfunnssikkerhet og beredskap.

Norwegian regulations on waste, no. 930/2004, from Minestry of the Environment with later amendments.

15.2. Chemical safety assessment

Chemical safety assessment performed

No

SECTION 16: Other information

Supplier's notes	The information in this document should be made available to anyone who handles the product.
Key literature references and sources for data	On basis of test data.
Abbreviations and acronyms used	ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
	EWC: European Waste Code (a code from the EU's common classification system for waste)
	IATA: The International Air Transport Association
	ICAO: The International Civil Aviation Organisation
	IMDG: The International Maritime Dangerous Goods Code
	PBT: Persistent, Bioaccumulative and Toxic
	RID: The Regulations concerning the International Carriage of Dangerous Goods by Rail
	vPvB: very Persistent and very Bioaccumulative
Information added, deleted or revised	Sections being revised since previous version: 1, 8, 16.
Checking quality of information	This SDS is quality controlled by Kiwa Kompetanse AS in Norway, certified

	according to the Quality Management System requirements specified in ISO 9001:2015.
Version	4
Prepared by	Kiwa Kompetanse AS Norway, TAØ